



Freiburg Medical Laboratory Middle East (L.L.C)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Dr. M. Jaksch
Freiburg Medical Lab

Laboratory Report Online Version

Report Date: 27.04.2016

Patient Name: sample report medication

Gender: Female
Date of Birth: 01.01.1973
Nationality:
Your ID:

Test Request Code: 1274
Sample ID:
Patient IDNo: 380028

Sampling Date / Time: 27.04.2016 / 16:14
Receipt Date / Time: 27.04.2016 / 16:14

Remarks:

Insurance:

Analysis	Result	Flag	Units	Reference Range
Drug Monitoring/Screening (Serum)				
Lamotrigine (HPLC) *	2.5		mg/l	1.0 - 12.0
Reference range corresponds to therapeutic range.				
Levetiracetam (HPLC) *	12.7		mg/l	5.0 - 30.0
Reference range corresponds to therapeutic range.				

Note:

Our reference values are adjusted to age and gender.
Daily internal Quality Control within the required range (according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

* This investigation has been performed in a collaborating accredited laboratory (Germany).

Techn. Validation by
Amira Fahd
Chief Technician
(DHA-LS-241791)

Dr. Nehmat ElBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.